



**WO 00/30773**

**PCT/GB99/03907**

11

6. A pig as claimed in any one of the preceding Claims wherein the blade design allows sufficient fluid bypass to allow the debris removed from the tubular bore and suspended in the pumped fluid to be flushed ahead of the pig.
7. A pig as claimed in any one of the preceding Claims wherein the blades are shaped in such a manner that they are separated by void areas which permit the relative flow of fluid through the pig in a forward direction.
8. A pig as claimed in any one of the preceding Claims wherein the blades are of varying diameter.
9. A pig as claimed in any one of the preceding Claims wherein the largest blade has a diameter greater than the internal diameter of the tubular.
10. A pig as claimed in Claim 9 wherein the largest blade is sufficiently flexible to allow entry and passage of the pig through the tubular.
11. A pig for use with a tubular bore, wherein the pig is comprised of a stabiliser body having means for connection to a mechanical driving means, which supports a plurality of blades, each blade having a fixed diameter, wherein the combination of blades have a watermelon shaped profile.
12. A pig as claimed in Claim 11 wherein said pig provides simultaneous centralisation and scraping of

WO 00/30773

CT/GB99/03907

- 12
- 1 the internal surfaces of a tubular as the pig is
- 2 conveyed mechanically through the tubular.
- 3
- 4 13. A pig as claimed in Claims 11 and 12 wherein the
- 5 blade properties are selected to be adapted to flex
- 6 through a profiled restriction in the tubular bore
- 7 thereby providing a means of confirming the position
- 8 of the pig within the tubulars.
- 9
- 10 14. A pig as claimed in any of the preceding Claims
- 11 wherein the blades are provided in a material that
- 12 is relatively hard and resistant to wear.
- 13
- 14 15. A pig as claimed in any of the preceding Claims
- 15 wherein the blades are manufactured from composite,
- 16 such as kevlar, carbon or glass fibre.
- 17
- 18 16. A pig as claimed in any one of the preceding Claims
- 19 supported on a pipe string in a well-bore.
- 20

21 Add

A3

23

24

25

26

27

28

29

30

31

32

33

34

004320 3050060